

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/766,596</u>	Examiner : <u>Pham</u>	GAU : <u>2813</u>
From: <u>MR</u>	Location: <u>IDC</u> FMF FDC	Date: <u>12-12-05</u>
Tracking #: <u>EPM 10766596</u>		Week Date: <u>09-12-05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input checked="" type="checkbox"/> Other <u>NOA 09-16-05</u>
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: NOA dated 09-16-05 contains amendment for claim 39 lines 9-10. However, no instructions, whether to delete or add the amendment.

Please resolve.

Thank you,
MR

[XRUSH] RESPONSE: In claim 39, line 9-10, delete 'a chamber pressure from about 4' to 80 mTorr, a RF power between about 200 and 1000 watts, a bias power from about 20 to 500 watts'

INITIALS: TSP

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04